

[Home](#)[Articles](#)[Journals](#)[Books](#)[News](#)[About](#)[Submit](#)[Home](#) > [Journals](#) > [Computer Science & Communications](#) > [IIM](#)[Articles](#) [Archive](#) [Indexing](#) [Aims & Scope](#) [Editorial Board](#) [For Authors](#) [Publication Fees](#)[IIM](#) > Vol.8 No.1, January 2016

Share This Article:

1

[Open Access](#)

## A Full Text Retrieval System in a Digital Library Environment

[Abstract](#) [Full-Text HTML](#) [XML](#) [Download as PDF](#) (Size: 323KB) PP. 1-8DOI: 10.4236/iim.2016.81001 **4,698** Downloads **6,133** Views [Citations](#)**Author(s)** [Leave a comment](#)[Kehinde Daniel Aruleba](#)<sup>1</sup>, [Dipo Theophilus Akomolafe](#)<sup>2\*</sup>, [Babajide Afeni](#)<sup>3</sup>

### Affiliation(s)

<sup>1</sup>Department of Mathematics & Computer Science, Elizade University, Ilara-Mokin, Nigeria.<sup>2</sup>Department of Mathematical Sciences, Ondo State University of Science and Technology, Okitipupa, Nigeria.<sup>3</sup>Department of Computer Science, Joseph Ayo Babalola University, Ikeji-Arakeji, Nigeria.

### ABSTRACT

The volume of information being created, generated and stored is huge. Without adequate knowledge of Information Retrieval (IR) methods, the retrieval process for information would be cumbersome and frustrating. Studies have further revealed that IR methods are essential in information centres (for example, Digital Library environment) for storage and retrieval of information. Therefore, with more than one billion people accessing the Internet, and millions of queries being issued on a daily basis, modern Web search engines are facing a problem of daunting scale. The main problem associated with the existing search engines is how to avoid irrelevant information retrieval and to retrieve the relevant ones. In this study, the existing system of library retrieval was studied. Problems associated with them were analyzed in order to address this problem. The concept of existing information retrieval models was studied, and the knowledge gained was used to design a digital library information retrieval system. It was successfully implemented using a real life data. The need for a continuous evaluation of the IR methods for effective and efficient full text retrieval system was recommended.

### KEYWORDS

[Full Text](#), [Information Retrieval](#), [Library](#), [Digital Library](#), [Queries](#), [Indexing](#), [Catalogue](#)

Received 11 November 2015; accepted 10 January 2016; published 13 January 2016

## 1. Introduction

For Centuries, libraries have been organizing reading materials on shelves for easy access. However, systematic methods that had been widely adopted for the organization of library materials and their recordings for use by readers came into being a little more than a century ago [1]. The term digital library is used to refer to a library where some or all of the holdings are available in electronic form, and the services of the library are also made available electronically-frequently over the Internet so that users can access them remotely [2]. The primary purpose of digital libraries is to enable searching of electronic collections distributed across networks, rather than merely creating electronic repositories from digitized physical materials.

An information retrieval (IR) system is designed to retrieve any documents or information required by the user community. It is primarily targeted to make the right information available to the right user at

### IIM Journal Stats >>

<b>Publication years</b>	2009-2019
<b>Publication count</b>	<a href="#">304</a>
<b>Citation count</b>	<a href="#">2071</a>
<b>h5-index</b>	<a href="#">7</a>
<b>Impact Factor</b>	<a href="#">0.84</a>
<b>Downloads</b>	1,405,984
<b>Views</b>	2,087,445
<b>Downloads/article</b>	4624.9
<b>Citations/article</b>	6.8

- [Open Special Issues](#)
- [Published Special Issues](#)
- [Special Issues Guideline](#)

[IIM Subscription](#)[E-Mail Alert](#)[IIM Most popular papers](#)[Publication Ethics & OA Statement](#)[IIM News](#)[Frequently Asked Questions](#)[Recommend to Peers](#)[Recommend to Library](#)[Contact Us](#)[Sign up](#)[Submit your Manuscript](#)[SCIRP News](#)[About SCIRP](#)

especially textual documents, in response to a set of query or topic statement(s), which may itself be unstructured [3]. IR system does not inform i.e. change the knowledge of the user on the subject of his enquiry; it merely informs the user of the existence or non-existence and whereabouts of documents relating to the request.

Many problems are associated with the current system of IR and such can be seen from the inability of the system to process request timely and to present inadequate results among others. In view of these inadequacies, it is imperative to develop an IR system that will curtail these inadequacies.

## 2. Related Work

The importance of IR keeps growing as the amount of digital information keeps expanding at an ever-increasing rate. Stored documents, photographs and contents of books, and billions of Web pages are useful only if they can be easily found when needed.

### 2.1. Information Retrieval Models

For effectively retrieving relevant documents by IR strategies, the documents are typically transformed into a suitable representation. Each retrieval strategy incorporates a specific model for its document representation purposes. According to [4], the Boolean model is the first model of IR and probably also the most criticized model. Larson [5] shows that much of this criticism seems to be based on lack of knowledge about how to utilise its search possibilities. In this model, we can pose any query which is in the form of a Boolean expression of terms, that is, in which terms are combined with the operators AND, OR, and NOT. The model views each document as just a set of words.

The vector space model (VSM) represents documents and queries as vectors in multidimensional space, whose dimensions are the terms used to build an index to represent the documents. It is used in IR, indexing and relevancy rankings and can be used in evaluation of Web search engines. According to Shang [6], the VSM procedure was divided into three stages. The first stage is the document indexing where content bearing terms are extracted from the document text. The second stage is the weighting of the indexed terms to enhance retrieval of document relevant to the user. The last stage ranks the document with respect to the query according to a similarity measure.

According to Gonzalez [7], Language models (LM) for information retrieval are retrieval models (taken from the speech recognition field) that do not impose an explicit parametric form for the probability of relevance. Lafferty and Zhai [8] presented a formal connection between probabilistic and language models. The basic idea of the language modelling approach to IR is to assume that a query Q is generated by a probabilistic model of document D. In this context, the generative language models approach estimate  $\epsilon_i$  is the probability of the query being generated by a document.

### 2.2. Query Types

There are many different ways of searching for information. Here we describe the most common ones according to Salerma [9].

A normal query is any query that is not explicitly indicated by the user. Create a specialized query. For queries containing only a single term, the desired semantics are clear: match all documents that

## Related Articles >>

- [Subject-Based Information Retrieval System in Digital Libraries](#)
- [Application of a Sign Language Synthesis System in Digital Library Services](#)
- [Application of Full Text Search Engine Based on Lucene](#)
- [Design of Library Management](#)

Copyright © 2019 by authors and Scientific Research Publishing Inc.



#### Follow SCIRP



[Submission System Login](#)

#### Home

[Journals A-Z](#)  
[Books](#)  
[Jobs](#)  
[Blog](#)  
[Sitemap](#)  
[Contact Us](#)

#### About SCIRP

[Journals by Subject](#)  
[For Authors](#)  
[Publication Fees](#)  
[Special Issues](#)  
[Peer-Review Resources](#)  
[News](#)

#### Service

[Manuscript Tracking System](#)  
[Translation & Proofreading](#)  
[Careers](#)  
[Subscription](#)  
[Frequently Asked Questions](#)  
[Volume & Issue](#)

#### Policies

[Open Access](#)  
[Publication Ethics](#)  
[Preservation](#)  
[Retraction](#)  
[Advertising](#)  
[Privacy Policy](#)

Copyright © 2006-2019 Scientific Research Publishing Inc. All Rights Reserved.

## 3. Information Retrieval and Digital Libraries

Libraries have been in existence since the beginning of writing and have served as a repository of the intellectual wealth of society. As such, libraries have always been concerned with storing and retrieving information in the media it is created on. As the quantities of information grew exponentially, libraries

[Sign up](#)

[Submit your Manuscript](#)

[SCIRP News](#)

[About SCIRP](#)

Indexing: IR systems need an indexing mechanism for performing efficiently the retrieval process [7]. Indexing is the transformation from the received item to the searchable data structure. Building an index from a document collection involves several steps, from gathering and identifying the actual documents to generating the final data structures [11].

### Library Digitization

According to Ian and David [13], defined digitization as the process of taking traditional library materials that are in form of books and converting them to the electronic form where they can be stored and manipulated by a computer.

According to Alhaji [14], there are three main reasons for digitization of a library system


- 1) To make the documents more accessible: This is to serve existing library users better, i.e. to allow users search the full text of documents or to allow users search from remote locations.
- 2) To preserve the documents: Allow user read older or unique documents without damage to the originals
- 3) To reuse the documents: Allowing conversion of documents into different formats.

## 4. Methodology

From the architecture of a FTRS described in Aruleba et al. [15], a full text search retrieval system was designed. This section presents the modelling of the system. The modelling is in two parts, which are: Analysis and Design

The analysis of the existing information system in University of Ilorin library was extensively carried out by studying the existing environment. The result of the analysis is presented using the Use-case diagram shown in figure 1.

The result of the existing library information shows that the entire system is made of seven steps. The first step is where the potential library user is registered. The registration allows the user to become a registered and legally authorised user of the library. After the registration, the user is allowed to use the facilities provided by the library. After registration, the registered user is allowed to undertake the remaining steps that is registered user can check available books, read books, check document title, author, publisher, borrow book, return book and pay fine in case of late submission of book(s).



**Figure 1.** The result of analysis of UNILORIN library system.

The proposed system in addition to the functionality of the existing system allows users to search, modify user details, and upload documents as shown with use-case in Figure 2.

From Figure 2, the proposed system is made up of eight distinct steps. Though the components are interwoven, each of them performs distinct functions but all work together as a system to process request timely.

### 4.1. Database Design

Database design mainly includes requirement analysis, concept structure design stage, the logic structure design stage, physical structure design stage, database implementation stage, database operation and maintenance stage, there are six steps altogether.

From the analysis done, Table 1 was designed for the implementation of the proposed system.

### 4.2. User Interface Design

There are many factors that must be considered when designing the user interface of a software because the user must be able to interact with the system in a way that the system will understand whatever input given by the user. Therefore, the quality of the interface and software in general must pass the usability testing standard. Some usability factors, such as fit for use, ease of learning, task efficiency, ease to remember, subjective satisfaction and understand ability but all are put into consideration when designing the user interface (Figure 3).

The home page screen depicted in figure 4, contains four major modules which are the Search, Registration, Request and Login while the Admin module home page shown in figure 5, contains Sub-module which are view students, view staff, view books, create new book, view book request,

System


- [Civilizing the Library User in an Academic System](#)

### Sponsors, Associates, and Links >>


- [Journal of Intelligent Learning Systems and Applications](#)



- [Journal of Information Security](#)



- [Journal of Data Analysis and Information Processing](#)



- [International Journal of Communications, Network and System Sciences](#)

[Sign up](#)

[Submit your Manuscript](#)

[SCIRP News](#)


[About SCIRP](#)

## 5. System Implementation Phase and Testing

This phase implements what have been discussed in the section 4. The system was developed and implemented with PHP and MySQL Technology.



**Figure 2.** Use case diagram showing the proposed system.



**Figure 3.** Showing the main interfaces of the system.

Table	Database	Table	Database	Table	Database
Search	MySQL	Search	MySQL	Search	MySQL
Registration	MySQL	Registration	MySQL	Registration	MySQL
Login	MySQL	Login	MySQL	Login	MySQL
Request	MySQL	Request	MySQL	Request	MySQL
Search	MySQL	Search	MySQL	Search	MySQL
Registration	MySQL	Registration	MySQL	Registration	MySQL
Login	MySQL	Login	MySQL	Login	MySQL
Request	MySQL	Request	MySQL	Request	MySQL
Search	MySQL	Search	MySQL	Search	MySQL
Registration	MySQL	Registration	MySQL	Registration	MySQL
Login	MySQL	Login	MySQL	Login	MySQL
Request	MySQL	Request	MySQL	Request	MySQL

**Table 1.** Generated database.



**Figure 4.** Home page design interface.



**Figure 5.** Admin home page design interface.



**Figure 6.** Home page implementation output.

### Home Page Interface Implementation

The home page shown in [figure 6](#) is the key aspect of the system, because it gives the basic user interface for the full text retrieval digital library. It comprises of: Search, Login, Registration and Request described as follows:

**Search:** This feature can be used by any user. This module provides a convenient book searching function, the user could search books based on a variety of conditions.

**Login:** Every user who wants to use the system is authenticated by means of username and password. All entered parameters of the password are matched with information stored in the database, therefore only authenticated users can log on to the program with limited access.

If the login information is wrong, the user will be notified of login failure and would need to try again.

**Registration:** This involves registering new users. It contains registration form interface with entries like email address, last name, first name, password, password confirmation and sex.

**Request:** If a user can find the specific book needed, request can be made for such book.

## 6. Conclusions and Future work

Also, the following areas of the study can be improved upon in future studies to create a more robust



- [Journal of Computer and Communications](#)



- [Journal of Software Engineering and Applications](#)



[Sign up](#)

[Submit your Manuscript](#)

[SCIRP News](#)

[About SCIRP](#)

- Increase in the size of the database, this will enable large data storage.
- Integrate advert plans for research materials the institution wants to be selling online.
- Acquire and publish video, audio and heavy graphic research materials.

## NOTES

\*Corresponding author.

Aruleba, K. , Akomolafe, D. and Afeni, B. (2016) A Full Text Retrieval System in a Digital Library Environment. *Intelligent Information Management*, **8**, 1-8. doi: [10.4236/iim.2016.81001](https://doi.org/10.4236/iim.2016.81001).

## References

- [1] Onwuchekwa, E.O. and Jegede, O.R. (2011) Information Retrieval Methods in Libraries and Information Centers. *An International Multidisciplinary Journal*, 5, Serial No. 23
- [2] Rosenberg, D. (2005) Towards the Digital Library: Findings of an Investigation to Establish the Current Status of University Libraries in Africa. *International Network for the Availability of Scientific Publications*, Oxford.
- [3] Greengrass, E. (2002) Information Retrieval: A Survey by Ed Greengrass. *Information Retrieval*, 141-163.
- [4] Goker, A. and Davies, J. (2009) *Information Retrieval: Searching in the 21st Century*. Wiley, West Sussex.  
<http://dx.doi.org/10.1002/9780470033647>
- [5] Larson, R.R. (2010) Information Retrieval Systems. In: Bates, M.J. and Maack, M.N., Eds., *Encyclopedia of Library and Information Sciences*, 3rd Edition, CRC Press, New York, IV, 2553-2563.
- [6] Li, L.Z. and Shang, Y. (2000) A New Statistical Method for Performance Evaluation of Search Engines. *ICTAI*.
- [7] González, R.B. (2008) *Index Compression for Information Retrieval Systems*. Unpublished PhD Thesis, University of A Coruna, A Coruna.
- [8] Lafferty, J. and Zhai, C. (2003) Probabilistic Relevance Models Based on Document and Query Generation. In: Croft, W.B. and Lafferty, J., Eds., *Language Modelling for Information Retrieval*, Kluwer, Pittsburgh, 11-56.  
[http://dx.doi.org/10.1007/978-94-017-0171-6\\_1](http://dx.doi.org/10.1007/978-94-017-0171-6_1)
- [9] Salerma, O. (2006) *Design of a Full Text Search Index for a Database Management System*. MSc Dissertation, University of Helsinki, Helsinki.
- [10] Pazer, J.W. (2013) *The Importance of the Boolean Search Query in Social Media Monitoring Tools*. Dragon Search.
- [11] Manning, C.D., Raghavan, P. and Schütze, H. (2008) *Introduction to Information Retrieval*. Cambridge University Press, Cambridge.  
<http://dx.doi.org/10.1017/CBO9780511809071>
- [12] Arms, W. (2002) *Manuscript of Digital Libraries*. MIT Press, Cambridge.
- [13] Witten, L.H. and Brainbridge, D. (2003) *How to Build a Digital Library*. Morgan Kaufman Publishers, London.
- [14] Alhaji, I. (2005) *Digitization of Library Resources and the Formation of Digital Libraries: A Practical Approach*. University of Pretoria, Pretoria.
- [15] Aruleba, K.D., Aremu, D.R., Oriogun, P.K., Agbele, K.K. and Agho, A.O. (2015) Evaluation of Full Text Search Retrieval System. *Nigeria Computer Society*, 26, 154-159.

[comments powered by Disqus](#)

[Sign up](#)

[Submit your Manuscript](#)

[SCIRP News](#)

[About SCIRP](#)